Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	308	(717/128).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 08:46
S51	5	sampl\$3 with count and 717/128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:45
S50	2694	sampl\$3 with count with period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:44
S49	24098	sampl\$3 with count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:44
S48	6	inter-sample same count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:44
S47	301	inter-sample	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:43

⊠ e-mail



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

SEARCH

.□ Search Results **BROWSE** **IEEE XPLORE GUIDE**

Results for "((random sample period)<in>metadata)" Your search matched 1 of 1154638 documents.

1	A maximu	m of 100 results are	e displayed, 25 to a page, sorted by Relevance in Descending order.					
» į	View Ses	sion History						
×	New Sear	<u>ch</u>						
» Key			Modify Search					
		•	((random sample period) <in>metadata)</in>					
IEEE JNL IEEE Journal or Magazine			Check to search only within this results set					
	IEE JNL	IEE Journal or Magazine	Display Format: © Citation C Citation & Abstract					
	IEEE CNF	IEEE Conference Proceeding						
	IEE CNF	IEE Conference Proceeding	 Discrete estimation algorithms for randomly sampled stochasti Steinway, W.; Melsa, J.; 	. Discrete estimation algorithms for randomly sampled stochastic signals Steinway, W.; Melsa, J.;				
	IEEE STD	IEEE Standard	Automatic Control, IEEE Transactions on Volume 15, Issue 3, Jun 1970 Page(s):335 - 339					

AbstractPlus | Full Text: PDF(600 KB) IEEE JNL

indexed by #Inspec Help Contact Us Privacy &:

© Copyright 2005 IEEE -